

Project Shearling Summer Vest

Material

- **Leather:** new 10 mm Shearling, seal colored
- **Reinforcements:** steerhide, seal colored
- **Pockets:** natural CXL
- **Thread:** seal colored for reinforcements, crème for pockets (Picture 4)
- **Zipper:** No 10 brass like picture 3
- **Rivets:** brass like the rivets on picture 3

Details

- Reinforcements should be sewn to each hem.
- There shouldn't be any fur poking out at the edge.
- Reinforcement at the zipper like picture 3
- Pockets unlined and like picture 1.
- Little space between pocket and reinforcement. Ca 2 cm
- The height of the armhole is measured without a curve. So at the outermost point of the shoulder vertically downwards to the horizontal line at the lower point of the armhole (Pictures 1 + 2).

Measurements:

- **Neck circumference:** 45 cm (see picture 1)
- **Armhole height:** 24 cm (see picture 1 + 2)
- **Shoulder width:** 41,5 cm (see picture 1 + 2)

- **Measure between the armholes at the back:**
- **Measure 1:** 40,5 cm (position 12 cm on picture 2)
- **Measure 2:** 42,5 cm (position 18 cm on picture 2)

- **Measure between the armholes at the front:**
- **Measure 1:** 38 cm (position 6 cm on picture 1)
- **Measure 2:** 37,5 cm (position 12 cm on picture 1)
- **Measure 3:** 39,5 cm (position 18 cm on picture 1)

- **P2P:** 59 cm (see picture 1 + 2)
- **Natural waistline:** 50 cm (see picture 2)
- **Hip:** 50 cm (see picture 2)
- **Distance between hip and natural waistline:** 26 cm (see picture 2)
- **Length:** 68 cm (see picture 2)
- **Front drop:** + 1,5 cm (see picture 2)

Link for pictures high quality:

https://share.icloud.com/photos/01AEHeF1eXGp_aUkcsyXu2jwQ

①



Reinforcement Seal color Front Drop + 1.5 cm

②



3

Rivets



Brass
No 10?



④

↑
Color
Thread for Pockets

